



## Clip-Grip Hose Clamp, screwable

Screwable clamp for attaching all hose types from the Master-Clip series to mobile and stationary systems

### Product Details

#### Construction / Material

- Specification of the connection solution: largely tension-resistant and largely leak-proof connection due to bridge profiles
- Clamp Design: clamp with housing, worm thread and clamping screw / clamping screw in sizes M5-M10 designed as slotted hexagon screw / clamp band with single or multiple bridges / spot welded bridge
- Material of the clamp: material grade W2

#### Properties

- Chemical Properties: rust-protected
- Other: easy to assemble

#### Operating Temperature

#### Delivery Information

#### Application Areas

#### Customizing Options

### Article Variants

Article number	DN of the hose mm	Type	Clamping range mm
001487	40/45	for Master-Clip hoses in DN 40/45	35 to 55

Article number	DN of the hose mm	Type	Clamping range mm
001489	50/55	for Master-Clip hoses in DN 50/55	45 to 65
001491	60/65	for Master-Clip hoses in DN 60/65	55 to 75
001493	70/75	for Master-Clip hoses in DN 70/75	65 to 85
001495	80	for Master-Clip hoses in DN 80	75 to 95
001497	90	for Master-Clip hoses in DN 90	85 to 105
001499	100	for Master-Clip hoses in DN 100	95 to 115
001503	110/115	for Master-Clip hoses in DN 110/115	105 to 125
001506	120/125	for Master-Clip hoses in DN 120/125	115 to 135
001508	130	for Master-Clip hoses in DN 130	125 to 145
001510	140	for Master-Clip hoses in DN 140	135 to 155
001512	150	for Master-Clip hoses in DN 150	145 to 165
001514	160	for Master-Clip hoses in DN 160	155 to 175
001517	170/175	for Master-Clip hoses in DN 170/175	165 to 185
001519	180	for Master-Clip hoses in DN 180	175 to 195
001522	200	for Master-Clip hoses in DN 200	195 to 215
001525	215	for Master-Clip hoses in DN 215	205 to 225
001527	225	for Master-Clip hoses in DN 225	215 to 235
001529	250	for Master-Clip hoses in DN 250	245 to 265
001533	275	for Master-Clip hoses in DN 275	265 to 285
001535	280	for Master-Clip hoses in DN 280	275 to 295
001537	300	for Master-Clip hoses in DN 300	295 to 315
001539	315	for Master-Clip hoses in DN 315	305 to 325
001541	325	for Master-Clip hoses in DN 325	315 to 335
001543	350	for Master-Clip hoses in DN 350	345 to 365
001546	375	for Master-Clip hoses in DN 375	365 to 385
001548	400	for Master-Clip hoses in DN 400	395 to 415
001552	450	for Master-Clip hoses in DN 450	445 to 465
001554	500	for Master-Clip hoses in DN 500	495 to 515
001557	550	for Master-Clip hoses in DN 550	545 to 565
001561	600	for Master-Clip hoses in DN 600	595 to 615
001564	700	for Master-Clip hoses in DN 700	695 to 715
001568	800	for Master-Clip hoses in DN 800	795 to 815
001570	900	for Master-Clip hoses in DN 900	895 to 915

Subject to technical changes and colour deviations

## Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

## Disposal instructions

After use, the product must be disposed of in accordance with the legal regulations applicable in the user's region (in Germany in accordance with the applicable Waste Catalogue Ordinance (AVV)).

### Individual consultation

We offer consultation by  
phone:  
+49 209 97077-112

Product requests via  
[masterflex.de/en](https://www.masterflex.de/en)

### Address Headquarters

Masterflex SE  
Willy-Brandt-Allee 300  
45981 Gelsenkirchen

