



Flamex B-F Hs

Article Master No.: 007573

Abrasion-Resistant Suction & Transport Hoses made from PU. Heavy-duty & Hardly Inflammable
PU film hose Hoses.



flexible



pressure
resistant

Product Details

Construction / Material

- Type of construction: film hose with metal spiral
- Spiral Design: made of steel wire
- Material of the spiral: spring steel
- Execution of the wall: made of highly abrasion-resistant material / made of pure material / wall thickness between the spirals approx. 1.4 mm
- Material of the wall: polyester polyurethane

Properties

- Chemical Properties: good resistance to petrol / good resistance to chemicals / good resistance to oil / good UV resistance / good ozone resistance / halogen-free
- Mechanical Properties: compressible approx. 1:3 / excellent mechanical tensile strength and tear resistance
- Flexibility: flexible
- Pressure Resistance: pressure resistant

Operating Temperature

- Temperature Range: 40 to 90 °C
- short-term maximum temperature: peaks to 125 °C

Delivery Information

Application Areas

Customizing Options

Article Variants

Extended Article Number	Article number	Nominal Size (DN) mm	Outer diameter mm	Bending radius* mm	Weight kg/m	Operating pressure bar	Negative pressure bar
007573:300:x	007573	304	315	300	4.00	0.25	0.06
007573:406:x	007573	406	418	400	4.80	0.13	0.05

All data refer to a medium and ambient temperature of +25 °C
 Specification of the bending radius related to the inside of the hose bend
 Subject to technical changes and colour deviations

Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

Disposal instructions

After use, the product must be disposed of in accordance with the legal regulations applicable in the user's region (in Germany in accordance with the applicable Waste Catalogue Ordinance (AVV)).

<p>Individual consultation</p> <p>We offer consultation by phone: +49 209 97077-112</p> <p>Product requests via masterflex.de/en</p>	<p>Address Headquarters</p> <p>Masterflex SE Willy-Brandt-Allee 300 45981 Gelsenkirchen</p>	
--	--	---