



PU Hose Sleeve

Reusable special sleeve for connection of spiral hoses from the Masterflex SE hose range, for use with clamp collars

Product Details

Construction / Material

- design of the cuff: high mechanical strength and impact resistance / made of abrasion resistant material
- material of the cuff: Polyurethane

Properties

- Chemical Properties: microbe-resistant
- Colour: black

Operating Temperature

- Temperature Range: -40 to 90 °C
- short-term maximum temperature: peaks to 125 °C

Delivery Information

- Delivery, type of production: various nominal widths are available ex production, individual nominal widths also ex stock

Application Areas

Customizing Options

Article Variants

Article number	DN of the hose mm	Outer Ø of the screw range (d3) mm	Type	Length (h1) mm
----------------	----------------------	---------------------------------------	------	-------------------

001331	38	59	hoses in version L	25
006122	51	67	hoses in version L	37
001342	65	87	hoses in version L	43
001351	80	102	hoses in version L	43
001355	102	118	hoses in version L	80
001360	127	147	hoses in version L	115
001364	152	173	hoses in version L	133
001329	38	59	hoses in version H	25
001335	51	67	hoses in version H	37
001340	65	87	hoses in version H	43
001344	75	101	hoses in version H	43
001348	80	101	hoses in version H	43
001352	102	118	hoses in version H	80
/	127	147	hoses in version H	115
007296	152	173	hoses in version H	133
/	203	239	hoses in version H	180
001336	51	/	hoses in version HX	no data
001345	76	101	hoses in version HX	43
001349	80	102	hoses in version HX	43
001353	102	130	hoses in version HX	80
001367	203	239	hoses in version HX	180
001330	38	60	hoses in version Inline	25
001333	40	61	hoses in version Inline	25
001337	51	70	hoses in version Inline	37
001341	65	86	hoses in version Inline	43
001350	80	101	hoses in version Inline	43
001359	127	/	hoses in version Inline	no data
001363	152	180	hoses in version Inline	133
001368	203	239	hoses in version Inline	180
001332	38	60	hoses in version Performance	25
001334	40	61	hoses in version Performance	25
001339	51	70	hoses in version Performance	37
001343	65	86	hoses in version Performance	43
001347	76	101	hoses in version Performance	43
001356	102	128	hoses in version Performance	80
001361	127	154	hoses in version Performance	115
001365	152	180	hoses in version Performance	133
012733	152	182	hoses in version HX	33

Subject to technical changes and colour deviations

Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

Disposal instructions

After use, the product must be disposed of in accordance with the legal regulations applicable in the user's region (in Germany in accordance with the applicable Waste Catalogue Ordinance (AVV)).

Individual consultation

We offer consultation by
phone:
+49 209 97077-112

Product requests via
[masterflex.de/en](https://www.masterflex.de/en)

Address Headquarters

Masterflex SE
Willy-Brandt-Allee 300
45981 Gelsenkirchen

